

| Aspire One D260 Specifications (v3-0-1) |   |
|---|---|
| Operating system <sup>1</sup>           | Genuine Windows® 7 Home Basic 32-bit (China only)   |
|   | Genuine Windows® 7 Starter 32-bit   |
| Dimensions and weight <sup>1</sup>      | Dimensions  |
|   | 258.5 (W) x 185 (D) x 24 (H) mm (10.17 x 7.28 x 0.95 inches)  |
|   | Weight  |
|   | 1.25 kg (2.76 lbs.) with 6-cell battery pack  |
| Color options                           | Black Flake, Charcoal Flake, Pink Flake, Purple Flake   |
| CPU and chipset1                        | <pre>Intel® Atom™ processor N455 (512 KB L2 cache, 1.66 GHz, 667 MHz FSB) (for model with DDR3 support only)</pre>                |
|   | <pre>Intel® Atom™ processor N450 (512 KB L2 cache, 1.66 GHz, 667 MHz FSB) (for model with DDR2 support only)</pre>                |
|   | Mobile Intel® NM10 Express Chipset  |
| Memory <sup>1</sup> , 3                 | Single-channel DDR3 SDRAM support with one soDIMM module (for model with Intel® Atom™ processor N455 only)                        |
|   | Up to 1 GB of DDR3 system memory (for Windows® 7 Starter for small notebook PCs)  |
|   | Up to 2 GB of DDR3 system memory (for other operating systems)  |
|   | Single-channel DDR2 SDRAM support with one soDIMM module (for model with Intel® Atom™ processor N450 only)                        |
|   | Up to 1 GB of DDR2 system memory (for Windows® 7 Starter for small notebook PCs)  |
|   | Up to 2 GB of DDR2 system memory (for other operating systems)  |
| Display <sup>1</sup>                    | 10.1" SD 1024 x 600 (WSVGA) pixel resolution, high-brightness (200-nit) LED-backlit TFT LCD                                       |
|   | Mercury free, environment friendly  |
|   | Glare/anti-glare option   |
|   | Super-slim design   |
| Graphics <sup>1</sup>                   | Intel® Graphics Media Accelerator 3150 (Intel® GMA 3150), with 64 MB of dedicated system memory, supporting Microsoft® DirectX® 9 |
|   | Dual independent display support  |

| Aspire One D260 Specifications (v3-0-1) |  |  |
|---|--|--|
|   | 16.7 million colors  |  |
|   | External resolution / refresh rate4:   |  |
|   | • VGA port up to 1600 x 900: 60 Hz   |  |
|   | MPEG-2/DVD decoding  |  |
| Storage                                 | Hard disk drive:   |  |
|   | • 2.5" (9.5 mm) 160/250 GB <sup>1, 5</sup>   |  |
|   | Multi-in-1 card reader, supporting:  |  |
|   | • Secure Digital <sup>™</sup> (SD) Card, MultiMediaCard <sup>™</sup> (MMC), Reduced-Size Multimedia Card (RS-MMC), Memory Stick <sup>™</sup> (MS), Memory Stick PRO <sup>™</sup> (MS PRO), xD-Picture Card <sup>™</sup> (xD) |  |
|   | <ul> <li>Storage cards with adapter: miniSD<sup>™</sup>, microSD<sup>™</sup>,</li> <li>Memory Stick Duo<sup>™</sup>, Memory Stick PRO Duo<sup>™</sup></li> </ul>   |  |
| Audio                                   | High-definition audio support  |  |
|   | Two built-in stereo speakers   |  |
|   | MS-Sound compatible  |  |
|   | Built-in digital microphone  |  |
| Webcam                                  | Acer Video Conference <sup>1</sup> , featuring:  |  |
|   | • Acer Crystal Eye webcam with 1280 x 1024 resolution  |  |
|   | <ul> <li>Acer Video Conference Manager software,<br/>featuring Video Quality Enhancement (VQE)<br/>technology, supporting 640 x 480 resolution<br/>online video calls<sup>6</sup></li> </ul>                                 |  |
| Wireless and networking                 | WLAN: 1, 7, 8  |  |
|   | <ul> <li>Acer InviLink<sup>™</sup> Nplify<sup>™</sup> 802.11b/g/n Wi-Fi<br/>CERTIFIED<sup>™</sup></li> </ul>   |  |
|   | • Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED™ (available only in Russia, Pakistan, Ukraine)  |  |
|   | • Supporting Acer SignalUp™ wireless technology  |  |
|   | WPAN: 1 Bluetooth® 3.0+HS  |  |
|   | WWAN: 1, 7 UMTS/HSPA at 850/900/1900/2100 MHz and quad-band GSM/GPRS/EDGE at 850/900/1800/1900 MHz, upgradable to 7.2 Mb/s HSDPA and 5.7 Mb/s HSUPA (for 3G model)   |  |
|   | LAN: Fast Ethernet   |  |
| Power adapter and battery <sup>1</sup>  | Product Safety Electric Appliance and Materials (PSE) certified for battery pack   |  |
|   | Power adapter  |  |
|   | 2-pin 40 W Acer MiniGo AC adapter:   |  |

| Aspire One D260 Specifications (v3-0-1) |  |  |
|---|--|--|
|   | • 93.2 (W) x 32.2 (D) x 42.5 (H) mm (3.66 x 1.26   |  |
|   | x 1.67 inches)   |  |
|   | • 180 g (0.39 lbs.) <sup>2</sup> with 250 cm DC cable  |  |
|   | Battery  |  |
|   | • 24.4 W 4400 mAh 3-cell Li-ion battery pack   |  |
|   | Battery life: 4 hours <sup>9</sup>   |  |
|   | • 48 W 4400 mAh 6-cell Li-ion battery pack   |  |
|   | Battery life: 8 hours <sup>9</sup>   |  |
| Input and control                       | Keyboard   |  |
|   | 84-/85-/88-key Acer FineTip keyboard, 93% of full-size keyboard, with international language support               |  |
|   | Touchpad   |  |
|   | Multi-gesture touchpad, supporting two-finger scroll, pinch, rotate, flip  |  |
| Input and output                        | Multi-in-1 card reader (SD™, MMC, MS, MS PRO, xD)  |  |
|   | Three USB 2.0 ports  |  |
|   | External display (VGA) port  |  |
|   | Headphone/speaker/line-out jack  |  |
|   | Microphone-in jack   |  |
|   | Ethernet (RJ-45) port  |  |
|   | DC-in jack for AC adapter  |  |
| Privacy control                         | BIOS user, supervisor, HDD passwords   |  |
|   | Kensington lock slot   |  |
| Software <sup>10</sup>                  | Productivity   |  |
|   | Acer ePower Management   |  |
|   | Acer eRecovery Management  |  |
|   | • Adobe® Flash® Player 10  |  |
|   | • Adobe <sup>®</sup> Reader <sup>®</sup> 9.1   |  |
|   | • eSobi™   |  |
|   | • Google Toolbar™  |  |
|   | • Microsoft® Office Personal 2007 (Service Pack 2) <sup>1</sup> (Japan only, subject to customer request)          |  |
|   | Microsoft® Office Trial (Service Pack 2)   |  |
|   | • Microsoft <sup>®</sup> Works SE 9 <sup>1</sup> (Brazil, Canada, France, Germany, Poland, Russia, UK and US only) |  |
|   | • Microsoft® Works 9   |  |

# Aspire One D260 Specifications (v3-0-1) • Microsoft® Works 8.5 Norton<sup>™</sup> Online Backup Security • McAfee® Internet Security Suite Trial<sup>11</sup> • MyWinLocker® (except China, Hong Kong) InstantOn • Android<sup>™</sup> InstantOn Gaming • Oberon GameZone<sup>1</sup> (except US, Canada, China, Hong Kong, Korea) • WildTangent<sup>®1</sup> (US, Canada only) Communication and ISP • Acer Crystal Eye • Acer Video Conference Manager<sup>1</sup> • Microsoft® Silverlight™ Skype<sup>™</sup> • Windows Live Essentials - Wave 3.2 (Mail, Photo Gallery, Live<sup>™</sup> Messenger, Movie Maker, Writer) Web links and utilities Acer Accessory Store<sup>1</sup> (Belgium, France, Germany, Italy, Netherlands, Spain, Sweden, UK only) • Acer Assist • Acer Identity Card • Acer Registration • Acer Updater • Customized Internet Explorer® 8 • eBay® shortcut 2009 (Canada, France, Germany, Italy, Mexico, Spain, UK, US only) • Netflix shortcut (US only) ENERGY STAR® Eco compliance WEEE RoHS Mercury free

### Aspire One D260 Specifications (v3-0-1)

# Options and accessories

In-box:

- Protective bag<sup>1</sup>
- 6-cell Li-ion battery pack

#### Optional:

- 1 GB / 2 GB DDR3 1066 MHz soDIMM module (for model with Intel® Atom™ processor N455 only)
- 1 GB / 2 GB DDR2 667 MHz soDIMM module (for model with Intel® Atom™ processor N450 only)
- 6-cell Li-ion battery pack
- 2-pin 40 W Acer MiniGo AC adapter
- External USB HDD
- External USB optical disc drive

#### Warranty

One-year International Travelers Warranty (ITW)

- 1. Specifications vary depending on model.
- 2. Weight may vary depending on product configuration, vendor components, manufacturing variability, and selected options.
- 3. Shared system memory may be allocated to support graphics, depending on system memory size and other factors. Actual system memory available to the operating system will be reduced by any memory used by the graphics solution and resources required by the operating environment.
- 4. Resolution/refresh rates depend on display capability and color/depth settings.
- 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Acer eRecovery Management utilizes up to 10 GB of the stated hard disk capacity as dedicated backup space.
- 6. Two VQE-enabled Acer notebooks with dual-core processors are required to enjoy the exclusive benefits and added performance of VOE.
- 7. Actual throughput may vary depending on network conditions and environmental factors such as network traffic or overhead, building construction, and access point settings.
- 8. Acer Nplify<sup>™</sup>, a high-throughput wireless solution, delivers superior performance and reliable connections while enabling emerging voice, video and data applications. Wi-Fi CERTIFIED<sup>™</sup>, it supports Acer SignalUp<sup>™</sup> wireless technology and is compliant with 802.11a/b/g/n and 802.11b/g standards.
- 9. The listed battery life is based on MobileMark 2007® productivity mode testing with wireless on. Details of MobileMark2007® testing are available at www.bapco.com. Battery life rating is for comparison purposes only. Actual battery life varies by model, configuration, applications, power management settings, operating

## Aspire One D260 Specifications (v3-0-1)

conditions, and utilized features. A battery's maximum capacity decreases with time and use.

- 10. Bundled software may vary depending on hardware configuration, OS and regional availability.
- 11. Trial periods vary depending on the geographic region and specifications: 365-day trial for China, Taiwan, Hong Kong and Singapore (Simplified Chinese and Traditional Chinese OS models); 60-day trial for other regions.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2010. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation. Intel is a registered trademark of Intel Corporation.

#### About Acer

Since its founding in 1976, Acer has achieved the goal of breaking the barriers between people and technology. Globally, Acer ranks No. 2 for total PCs and notebooks. A profitable and sustainable Channel Business Model is instrumental to the company's continuing growth, while its multi-brand approach effectively integrates Acer, Gateway, Packard Bell, and eMachines brands in worldwide markets. Acer strives to design environmentally friendly products and establish a green supply chain through collaboration with suppliers. Acer is proud to be a Worldwide Partner of the Olympic Movement, including the Vancouver 2010 Olympic Winter and London 2012 Olympic Games. The Acer Group employs 7,000 people worldwide. 2009 revenues reached US\$17.9 billion. See www.acer-group.com for more information.



COIGI OPEIGIR

